

2.

3.

4.

5.

6.

7.

8.

Webin

Google

Pages

Everything

Images

Videos

News

Shopping

More

Alexandria, VA

Change location

Shopping

Show search tools

Gmail

more

determine whether the a

Search

Instant is off

About 7,820 results (0.67 seconds)

Advanced search

[PDF] The PRIMA Grid Authorization System

File Format: PDF/Adobe Acrobat - Quick View

by M Lorch - Cited by 24 - Related articles

Second, the **plurality of** grid users decide for themselves with whom they want to ... the resource access of legacy **applications** and **untrusted** code to prevent ... **application** code to be fully **trusted** by the resource to perform such The gatekeeper will call the **identity** mapping interface only **one** time (multiple ...

2.

3.

4.

people.cs.vt.edu/~kafura/cs6204/Readings/Authorization/PRIMA.pdf

DEVICE, METHOD AND APPARATUS FOR AUTHENTICATION ON UNTRUSTED ...

by E Bilange - 2011

Feb 3, 2011 ... The mobile device 102 may **determine whether** a status of a detected network is **trusted or untrusted based** on stored information indicating the current ... mobile device 102 to **automatically select** the **untrusted** network 106 for 208 of **one** or a **plurality of** session tokens for communication with ...

3.

4.

www.freepatentsonline.com/y2011/0030039.html - Cached

Method and apparatus for selecting forwarding modes - Patent ...

by JS Spitaels - 2005

Nov 3, 2005 ... A method is provided for **automatically determining** in which ...

Show more results from freepatentsonline.com


System and method of communicating between **trusted** and **untrusted** ...

Secure host 21' and **Application** layer bridge 22' represent a **plurality of ... Application** layer bridge 22 must **determine**

http://www.google.com/search?q=determine+whether+the+application+is+a+tru...3AIE-SearchBox&rlz=117_____en&nfr=1&num=30&lr=&ft=i&cr=&safe=images&tbs= (1 of 8)3/22/2011 3:27:57 PM

which of many secure ... with **one** another when **trusted** computer network 16 is joined to **untrusted** computer network 17. ... This embodiment also allows extra security in that the actual **identity** ...
www.patentstorm.us/patents/5828893/description.html
- Cached - Similar

5.

Method and apparatus for use in **determining** validity of a ...
U.S. patent **applications** available from 2005 to present. ...
www.patentstorm.us/patents/6134550/description.html - Cached
 Show more results from patentstorm.us


6.

OWASP Guide to Building Secure Web **Applications** and Web Services ...
Jan 9, 2006 ... Techniques described include tying an system **identity** to an individual ... There are some drawbacks to certificate-**based** logon: is connected to an **untrusted** host, the hard certificate might be used by **Determine** if the **application** allows users to use dangerously short passwords (less than ...
www.computerweekly.com/.../OWASP-Guide-to-Building-Secure-Web-Applications-and-Web-Services-Chapter-9.htm - Cached

7.

US Patent # 7350204. Policies for secure software execution ...
The method of claim 41 wherein providing a **plurality of** rules for ... file includes **selecting one** of a **plurality of** applicable rules **based** on a precedence order. to prevent the **untrusted** process from requesting **trusted** processes to do For example, this can be accomplished by placing an **application** ...
www.patents.com/us-7350204.html - Cached

8.

Application # 2010/0235916. Apparatus and method for computer ...
The FDE may **select one** or more scanning operations to carry out for a ...
patents.com/us-20100235916.html - Cached
 Show more results from patents.com

9.

WORK patent updates
The server determines a corresponding **application** server **based** on the initial switches in response to a signal from a controller to **select one** of the ...

tgs.freshpatents.com/Work-bx1.php - Cached

10.

Data processing: financial, business practice, management, or cost ...

The search results are evaluated to **determine whether** they meet a ...

www.freshpatents.com/Data-processing-financial-business-practice-management-or-cost-price-determination-dt201006ntc705.php - Cached

Show more results from freshpatents.com

11.

U.S. Patents Awarded to Inventors in Texas (March 8)

Mar 8, 2011 ... The NFS services are **automatically** transitioning to a first operating state ... A task, such as an **application**, may be assigned a range of IP addresses rather between a **trusted** network and an **untrusted** network are disclosed. ... **one** or more steady-state models each having a **plurality of** model ...

cisco-news.tmcnet.com/news/2011/03/08/5362992.htm - Cached

12.

HUMAN COMPUTING

Potential **applications** even include ATM and check-cashing security, of the Internet and the **plurality** and variety of fancy **applications** it brought with it, ... the traditional boundaries between **trusted** and **untrusted** networks and and to **automatically** adapt and act **based** on these changes **based** on user ...

www.rg/inandyal.com/Selected%20Papers%20by%20CSE%20Department.htm - Cached

13.

WIRELESS COMMUNICATION SYSTEMS - Patent application - Apparatus ...

Policy agent 323 may include a policy to **select one** of the wireless servers server may be selected through **application** of instructions to **determine** the ...

www.faqs.org/patents/app/20090030995 - Cached

14.

Digital information infrastructure and method - Patent application

[0001]This is a continuation-in-part patent **application based** upon and ...

www.faqs.org/patents/app/20090254572 - Similar

 Show more results from faqs.org

15.

Context Aware Systems And Methods Utilizing Hierarchical Tree ...

Oct 22, 2010 ... From the list of restaurants, they might be able to **select one** or two For example, if a **untrusted application** calls to request ...

www.docstoc.com > Legal > Patents > Computers: Software - Cached

16.

Obviousness with Business Methods

by D Schumann - 2002 - Cited by 8 - Related articles

One must now claim inventive **application** of the mathematical algorithm or law of nature. exception had never been invoked in a **determination** of unpatentability. 199 "If exact **identity** were required, 102(b) would become a paper **untrusted** computer environment to co-exist and operate with the **trusted** ...

<https://litigation-essentials.lexisnexis.com/.../app?...>

17.

[PDF] Hard-Object: Enforcing Object Interfaces Using Code- Range Data ...

File Format: PDF/Adobe Acrobat - Quick View

by D Wilkerson - 2009 - Cited by 1 - Related articles

Jul 8, 2009 ... on this in Sections 2.3 and 3, in which we describe a **trusted** load-time verifier for binary code as part of an If module A loads **untrusted** module U, say from the use page-**based** memory and run in only **one** or two seg- service **application** [8]. Hard Object provides a lightweight ...

www.eecs.berkeley.edu/Pubs/TechRpts/2009/EECS-2009-97.pdf

18.

[PDF] Intra-Vehicle Information Security Framework

File Format: PDF/Adobe Acrobat - Quick View

by H Bar-EI - 2009 - Related articles

Nov 16, 2009 ... cover page **automatically** created with CoverPage.sty and that serve a **plurality of** controllers. In such cases, at a manufacturer's facility or later, also over **untrusted** If the **Trusted** Time Tool described in Section 3.7 the relying **application to determine** if the time trust- ...

www.discretix.com/.../Intra-Vehicle%20Information%20Security%20Framework.pdf

19.

[PDF] One-Time Password Access to any Server without Changing the Server

File Format: PDF/Adobe Acrobat - Quick View

by D Florêncio - Cited by 12 - Related articles

untrusted machine: the user merely requires access to a browser address bar. logins of this scheme can allow an attacker to **determine** the secret. count name, password, **application** id, destination phone number and SMS message. If he can go to a **trusted** PC he generates a new sheet and the old **one** is ...
research.microsoft.com/pubs/78026/1569113867_final_email.pdf.pdf

20.

[PDF] SIMPLE, SECURE, SELECTIVE DELEGATION IN ONLINE IDENTITY SYSTEMS by ...

File Format: PDF/Adobe Acrobat - Quick View

by B Cutler - 2008 - Cited by 1 - Related articles

delegates' trustworthiness more flexible by allowing **trusted** users to **determine** which ... This results in a more complicated **identity** protocol. **One** components of policy-**based** access control within a single **application**. This approach are immune from direct attacks by **untrusted** third parties. ...
contentdm.lib.byu.edu/ETD/image/etd2515.pdf

21.

Multics Bibliography

Oct 27, 2010 ... This TPS DMS was developed using an integrated **application** software whereupon MULTICS is **automatically** induced to remove itself from its normal user evaluation personnel to **determine** if the required features are present ... Hence, some components of a system may be completely **untrusted**, ...

[ftp://ftp.stratus.com/vos/multics/tvv/biblio.html](http://ftp.stratus.com/vos/multics/tvv/biblio.html) - Cached

22.

[PDF] A Prototype User Interface for Coarse-Grained Desktop Access ...

File Format: PDF/Adobe Acrobat - Quick View

by AC Long - 2003 - Cited by 10 - Related articles

mechanisms for managing data and **applications** in a role-**based** system. ... However, if the user always reads mail or browses the web in **one** role, only data in that role, **automatically**

selected the object and made its role active; for the other To **determine** the winners, we looked at **plurality** vote and a ...
citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.62.2223&rep...

23.

(WO/2002/054325) OBJECT-ORIENTED METHOD, SYSTEM AND MEDIUM FOR ...

The step of identifying the **plurality of** assets can include at least **one** step 2 (Semi-**Trusted**) A private network which borders an **untrusted** network. **one** of its strengths since it provides for the **application** of criteria now ... which used to **determine** if the criterion is satisfied **based** upon **whether** its ...

www.wipo.int/pctdb/en/wo.jsp?WO=2002%2F054325&IA... - Cached

24.

[PDF] Architectures of the Third Cloud

File Format: PDF/Adobe Acrobat

by D Gauthier - 2009 - Related articles

The open hardware platform is described and **identity based** protocols are there is a **plurality of** possible configurations which need to be on broadcast signals from access points (AP) to **determine** if it can different protocols to render a Gmail **application** page or a Hulu **application** page even if ...

dspace.mit.edu/bitstream/handle/1721.1/55189/608310812.pdf?...1

25.

W3C News Archive: 2010 W3C

The guidelines also indicate how to design Web **applications** that are efficient, in order to **determine** how digital **identity** fits into the **One** Web platform. ... **whether** located within the XML that includes the signature or elsewhere. web pages and **untrusted** widgets (2) **trusted** widgets and **applications**, ...

www.w3.org > ... > Mail, News, Blogs, Podcasts, and... > News

- Cached - Similar

26.

Sixth Workshop on Hot Topics in System Dependability (HotDep '10)

to the **applications**. Manos answered that their motivation is portion of the system is **trusted** to monitor the **untrusted** por- Towards **Automatically** Checking Thousands of Failures ... RAM errors cause the **plurality of** system failures (including **One** audience member asked **whether** rate-based power ...

www.userix.org/publications/login/2011-02/.../HotDep10reports.pdf

[PDF] A survey of network virtualization

File Format: PDF/Adobe Acrobat - Quick View

by NMMK Chowdhury - 2009 - Cited by 64 - Related articles

Oct 31, 2009 ... By introducing a **plurality** of heterogeneous network ... distributed **applications** and a wide variety of network of bandwidth than **one based** on wireless or sensor networks. heterogeneous virtual networks in a secured and **trusted** Recently proposed iMark [81] separates **identities** of ...

www.cs.uwaterloo.ca/~rboutaba/Papers/Journals/2010/Mosharaf10.pdf

28.

[PDF] Smart Redundancy for Distributed Computation

File Format: PDF/Adobe Acrobat - Quick View

by Y Brun - Cited by 1 - Related articles

tion by large numbers of **untrusted**, potentially faulty ... sively for diverse **applications**, including cryptanaly- of a task if a **trusted** node returns its result. However, of tasks, for example: the first asks **whether** $22 = 4 \dots$ more than half of the nodes fail, because the **plurality** ...

www.cs.washington.edu/homes/brun/pubs/pubs/Brun11icdc.pdf

29.

PERSONAL PORTABLE SECURED NETWORK ACCESS SYSTEM
- BEYOND ACCESS, INC.

Jul 29, 2010 ... The customer is authenticated to the content server **based** on account ... At block 975, it is determined **whether the application** (either the ...

www.sumobrain.com/patents/wipo/.../WO2010085335.html - Cached

30.

<Insert Title Here>

by MR Hayes - Related articles

entity where the domain consists of **trusted** and **untrusted** boundaries. As **one** can imagine this creates $N(N-1) * BA$ forwarding ... audit the network and monitor queue utilization to **determine** any anomalies and monitor **whether** **application** requires a form of health check network monitoring to ensure QoS is ...

papers.ssrn.com/sol3/Delivery.../SSRN_ID979522_code787505.

pdf?...1



1 2 3 4 5 6 Next

determine whether the a

Search

[Search](#) [Help](#) [Give us feedback](#)

[Google Home](#)[Advertising Programs](#)[Business Solutions](#)[Privacy](#)[About Google](#)